

Date Printed 15.05.2017

Revision Date 05.08.2013

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier Dibutyl phthalate
- · Trade name: dibutyl phthalate
- · Article number: AGR1070, AGR1071, AGR1037 D, AGR1030C
- · CAS Number:

84-74-2

· EC number:

201-557-4

· Index number:

607-318-00-4

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation: Plasticiser.
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier.

Agar Scientific Ltd Parsonage Lane Stansted CM24 8GF United Kingdom sales@agarscientific.com Tel: +44 (0) 1279 813 519



- · Further information obtainable from: Technical Support
- 1.4 Emergency telephone number: 24 hours: +44 (0)1856 407333

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 1B H360Df May damage the unborn child. Suspected of damaging fertility.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

T; Toxic

Repr. Cat. 2, 3

May cause harm to the unborn child.



Xn; Harmful

Possible risk of impaired fertility.



N; Dangerous for the environment

(Contd. on page 2)



Date Printed 15.05.2017 Revision Date 05.08.2013

Trade name: dibutyl phthalate

(Contd. of page 1)

R50: Very toxic to aquatic organisms.

· Information concerning particular hazards for human and environment: Not applicable.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS08 GHS09

- · Signal word Danger
- · Hazard statements

H360Df May damage the unborn child. Suspected of damaging fertility.

H400 Very toxic to aquatic life.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

· 3.1 Chemical characterisation: Substances

CAS No. Description 84-74-2 dibutyl phthalate
Identification number(s)
EC number: 201-557-4

· Index number: 607-318-00-4

·SVHC

84-74-2 dibutyl phthalate

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

GB



Date Printed 15.05.2017 Revision Date 05.08.2013

Trade name: dibutyl phthalate

(Contd. of page 2)

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling Open and handle receptacle with care.
- · Information about fire and explosion protection:

Extinguishing media: Water fog - dried resin only.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

## 84-74-2 dibutyl phthalate

WEL Short-term value: 10 mg/m³ Long-term value: 5 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection: Not required.

(Contd. on page 4)



Date Printed 15.05.2017 Revision Date 05.08.2013

Trade name: dibutyl phthalate

#### · Protection of hands:

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

9.1 Information on basic physical and o	chemical properties
General Information	
Appearance: Form:	Fluid
Colour:	Colourless
Odour:	Weak, characteristic
Odour threshold:	Not determined.
pH-value (- g/l) :	neutral
Change in condition	
Melting point/freezing point:	-35.8 ℃
Initial boiling point and boiling range	:: 340 ℃
Flash point:	188 ℃
Flammability (solid, gas):	Not applicable.
Ignition temperature:	390 ℃
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	<0.1 Vol %
Upper:	1.97 Vol %
Vapour pressure at 162 ℃:	0.00002 hPa
Density at 20 ℃:	1.045 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water at 20 ℃:	0.1 g/l
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic at 20 ℃:	12-14 mPas



Date Printed 15.05.2017 Revision Date 05.08.2013

Trade name: dibutyl phthalate

(Contd. of page 4)

· 9.2 Other information

No further relevant information available.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

Oral LD50 8000 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 6)



Date Printed 15.05.2017 Revision Date 05.08.2013

Trade name: dibutyl phthalate

(Contd. of page 5)

• 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Recommendation: Disposal must be made according to official regulations.

<b>SECTION 14: Transport informa</b>	tion
· 14.1 UN-Number · ADR, IMDG, IATA	UN3082
· 14.2 UN proper shipping name · ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibutyl phthalate)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibutyl phthalate) MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibutyl phthalate)
· 14.3 Transport hazard class(es)	
· ADR	
· Class	<ul><li>9 Miscellaneous dangerous substances an articles.</li><li>9</li></ul>
· IMDG, IATA	
· Class	<ol><li>9 Miscellaneous dangerous substances and articles.</li></ol>
· Label	-
· 14.4 Packing group · ADR, IMDG, IATA	III
<ul><li>14.5 Environmental hazards:</li><li>Marine pollutant:</li></ul>	No Yes (PP) Symbol (fish and tree)
<ul><li>Special marking (ADR):</li><li>Special marking (IATA):</li></ul>	Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Danger code (Kemler):	90
· 14.7 Transport in bulk according to An of Marpol and the IBC Code	nex II  Not applicable.

(Contd. on page 7)



Date Printed 15.05.2017 Revision Date 05.08.2013

Trade name: dibutyl phthalate

	(Contd. of page 6)
· Transport/Additional information:	
<ul><li>ADR</li><li>Limited quantities (LQ)</li><li>Transport category</li><li>Tunnel restriction code</li></ul>	5L 3 E
· UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dibutyl phthalate), 9, III

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 30, 51b
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

84-74-2 dibutyl phthalate

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge and should assist the user with the safe handling of this material when properly applied. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Sales department
- Contact:

sales@agarscientific.com Tel: +44 (0) 1279 813 519

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

PP: Severe Marine Pollutant

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Repr. 1B: Reproductive toxicity - Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

GB