

Safety data sheet according to 1907/2006/EC, Article 31

# Date of Latest Revison 11.08.2016

Date Original Created 05.08.2013

1.1 Product ider	ntifier DMP-30
Trade name: 2,4	4,6-tris(dimethylaminomethyl)phenol
No further releva	AGR1064 Intified uses of the substance or mixture and uses advised against nt information available. The substance / the preparation: Accelerator used in epoxy resins for microsc
	e supplier of the safety data sheet d 3GF ntific.com
	tion obtainable from: Technical Support
1.4 Emergency f SECTION 2: H 2.1 Classificatio	Arelephone number: 24 hours: +44 (0)1856 407333 Hazards identification n of the substance or mixture
1.4 Emergency f SECTION 2: F 2.1 Classificatio Classification ad	Hazards identification
1.4 Emergency for a second sec	telephone number: 24 hours: +44 (0)1856 407333 Hazards identification n of the substance or mixture ccording to Regulation (EC) No 1272/2008
1.4 Emergency f SECTION 2: H 2.1 Classification Classification ad GHS05	telephone number: 24 hours: +44 (0)1856 407333         Hazards identification         n of the substance or mixture         ccording to Regulation (EC) No 1272/2008         corrosion         H314 Causes severe skin burns and eye damage.
1.4 Emergency ( SECTION 2: ) 2.1 Classification Classification ad GHS05 Skin Corr. 1B	telephone number: 24 hours: +44 (0)1856 407333         Hazards identification         n of the substance or mixture         ccording to Regulation (EC) No 1272/2008         corrosion         H314 Causes severe skin burns and eye damage.
1.4 Emergency of SECTION 2: H 2.1 Classificatio Classification ad GHS05 Skin Corr. 1B Skin Corr. 1B GHS07 Acute Tox. 4 Eye Irrit. 2	telephone number: 24 hours: +44 (0)1856 407333         Iazards identification         n of the substance or mixture         ccording to Regulation (EC) No 1272/2008         corrosion         H314 Causes severe skin burns and eye damage.         H302 Harmful if swallowed.         H319 Causes serious eye irritation.
1.4 Emergency of SECTION 2: H 2.1 Classificatio Classification ad GHS05 Skin Corr. 1B Skin Corr. 1B GHS07 Acute Tox. 4 Eye Irrit. 2	telephone number: 24 hours: +44 (0)1856 407333         Hazards identification         n of the substance or mixture         ccording to Regulation (EC) No 1272/2008         corrosion         H314 Causes severe skin burns and eye damage.         H302 Harmful if swallowed.
1.4 Emergency of SECTION 2: H 2.1 Classification Classification ad GHS05 Skin Corr. 1B COMPACTION CONTRACT Acute Tox. 4 Eye Irrit. 2 Skin Sens. 1B	telephone number: 24 hours: +44 (0)1856 407333         Iazards identification         n of the substance or mixture         ccording to Regulation (EC) No 1272/2008         corrosion         H314 Causes severe skin burns and eye damage.         H302 Harmful if swallowed.         H319 Causes serious eye irritation.
1.4 Emergency of SECTION 2: H 2.1 Classification Classification ad Classification ad GHS05 Skin Corr. 1B COMPACTION CONTROL Acute Tox. 4 Eye Irrit. 2 Skin Sens. 1B Aquatic Chronic C	Helephone number: 24 hours: +44 (0)1856 407333         Hazards identification         n of the substance or mixture         ccording to Regulation (EC) No 1272/2008         corrosion         H314 Causes severe skin burns and eye damage.         H302 Harmful if swallowed.         H319 Causes serious eye irritation.         H317 May cause an allergic skin reaction.         3 H412 Harmful to aquatic life with long lasting effects.         ccording to Directive 67/548/EEC or Directive 1999/45/EC
1.4 Emergency of SECTION 2: H 2.1 Classification Classification ad Classification ad Skin Corr. 1B Corr. 1B Cor	Helephone number: 24 hours: +44 (0)1856 407333         Hazards identification         n of the substance or mixture         ccording to Regulation (EC) No 1272/2008         corrosion         H314 Causes severe skin burns and eye damage.         H302 Harmful if swallowed.         H319 Causes serious eye irritation.         H317 May cause an allergic skin reaction.         3 H412 Harmful to aquatic life with long lasting effects.         ccording to Directive 67/548/EEC or Directive 1999/45/EC
1.4 Emergency of SECTION 2: H 2.1 Classification Classification ad Classification ad Skin Corr. 1B Corr. 1B Cor	Halphone number: 24 hours: +44 (0)1856 407333         Hazards identification         n of the substance or mixture         ccording to Regulation (EC) No 1272/2008         corrosion         H314 Causes severe skin burns and eye damage.         H302 Harmful if swallowed.         H319 Causes serious eye irritation.         H317 May cause an allergic skin reaction.         3 H412 Harmful to aquatic life with long lasting effects.         ccording to Directive 67/548/EEC or Directive 1999/45/EC
1.4 Emergency of SECTION 2: H 2.1 Classification Classification ad Classification ad Skin Corr. 1B Corr. 1B Cor	Halphone number: 24 hours: +44 (0)1856 407333         Hazards identification         In of the substance or mixture         ccording to Regulation (EC) No 1272/2008         corrosion         H314 Causes severe skin burns and eye damage.         H302 Harmful if swallowed.         H319 Causes serious eye irritation.         H317 May cause an allergic skin reaction.         3 H412 Harmful to aquatic life with long lasting effects.         ccording to Directive 67/548/EEC or Directive 1999/45/EC

according to 1907/2006/EC, Article 31

Date of Latest Revison 11.08.2016

Date Original Created 05.08.2013

# Trade name: 2,4,6-tris(dimethylaminomethyl)phenol

Hazard picto	ograms (Contd. of page 1)
GHS05 GI	+S07
Signal word	Danger
Hazard state	ements
H302 Harmfu	ul if swallowed.
H314 Cause	s severe skin burns and eye damage.
H317 May ca	ause an allergic skin reaction.
	ul to aquatic life with long lasting effects.
Precautiona	ry statements
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+	-P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+	-P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
P310	lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
2.3 Other ha	•
Results of P	BT and vPvB assessment
PBT: Not ap	plicable.
vPvB: Not a	

# **SECTION 3: Composition/information on ingredients**

· 3.1 Chemical characterisation: Substances

· CAS No. Description

- 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol
- · Identification number(s)

• EC number: 202-013-9

· Index number: 603-069-00-0

# **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: No adverse effects are anticipated from inhalation.
- After skin contact: Wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- $\cdot$  4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

GP



according to 1907/2006/EC, Article 31

Date of Latest Revison 11.08.2016

#### Date Original Created 05.08.2013

#### Trade name: 2,4,6-tris(dimethylaminomethyl)phenol

(Contd. of page 2)

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Water fog dried resin only.
- **5.2 Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment: Positive pressure self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear gloves.
- Wear protective gloves and glasses.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

#### $\cdot$ 6.3 Methods and material for containment and cleaning up:

Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

- $\cdot$  Information about fire and explosion protection:
- Extinguishing media: Water fog dried resin only.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

(Contd. on page 4)



(Contd. of page 3)

# Safety data sheet

according to 1907/2006/EC, Article 31

# Date of Latest Revison 11.08.2016

# Date Original Created 05.08.2013

# Trade name: 2,4,6-tris(dimethylaminomethyl)phenol

# · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

# · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

# Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties				
<ul> <li>9.1 Information on basic physical and chemical properties</li> <li>General Information</li> <li>Appearance:</li> </ul>				
Form:	Not determined.			
Colour:	Not determined.			
· Odour:	Characteristic			
· Odour threshold:	Not determined.			
· pH-value:	Not determined.			
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Undetermined. Undetermined.			
· Flash point:	Not applicable.			
· Flammability (solid, gaseous):	Not applicable.			
· Ignition temperature:				
Decomposition temperature:	Not determined.			
· Self-igniting:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	Not determined. Not determined.			
· Vapour pressure:	Not determined.			
Density at 20 ℃:	0.98 g/cm <sup>3</sup>			
	(Contd. on page 5)			

(Contd. on page 5)

GB



# Safety data sheet according to 1907/2006/EC, Article 31

Date of Latest Revison 11.08.2016

#### Date Original Created 05.08.2013

### Trade name: 2,4,6-tris(dimethylaminomethyl)phenol

		(Contd. of page 4
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Not determined.	
· Partition coefficient (n-octano	I/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
<ul> <li>9.2 Other information</li> </ul>	No further relevant information available.	

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if swallowed.
- Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
   Corm call mutagenicity Record on gyralloble data, the classification ariteria are not
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- $\cdot$  Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish

(Contd. on page 6)

GB

according to 1907/2006/EC, Article 31

#### Date of Latest Revison 11.08.2016

#### Date Original Created 05.08.2013

#### Trade name: 2,4,6-tris(dimethylaminomethyl)phenol

- · Additional ecological information:
- General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised. Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN2735	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR</li> </ul>	2735 AMINES, LIQUID, CORROSIVE, N.O.S (2,4,6-tris(dimethylaminomethyl)phenol)	
· IMDG, IATA	AMINES, LIQUID, CORROSIVE, N.O.S. (2,4,6 tris(dimethylaminomethyl)phenol)	
· 14.3 Transport hazard class(es)		
· ADR, IMDG		
A CONTRACTOR OF		
· Class	8 Corrosive substances.	
·IATA		
· Class	Void	
· 14.4 Packing group		
· ADR		
·IATA	Void	
• 14.5 Environmental hazards:		
· Marine pollutant:	No Xao (PD)	
	Yes (PP)	
• 14.6 Special precautions for user	Warning: Corrosive substances.	
· EMS Number:	F-A,S-B Alkalis	
· Segregation groups		
<ul> <li>14.7 Transport in bulk according to Ar of Marpol and the IBC Code</li> </ul>	nnex II Not applicable.	
	(Contd. on page	



(Contd. of page 5)



according to 1907/2006/EC, Article 31

#### Date of Latest Revison 11.08.2016

Date Original Created 05.08.2013

#### Trade name: 2,4,6-tris(dimethylaminomethyl)phenol

	(Contd. of page 6
· Transport/Additional information:	
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (2,4,6-TRIS(DIMETHYLAMINOMETHYL) PHENOL), 8, II

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge and should assist the user with the safe handling of this material when properly applied. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Sales department

#### · Contact:

sales@agarscientific.com

Tel: +44 (0) 1279 813 519

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association PP: Severe Marine Pollutant GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1B: Skin sensitisation – Category 1B Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

GB