

Date Printed 27.02.2019

Version number 1

Revision Date 21.02.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: MONOMER I SOLUTION (LOWICRYL K11M)

· Article number: AGR1133M

1.2 Relevant identified uses of the substance or mixture and uses advised against

Laboratory chemicals, Manufacture of substances. • Application of the substance / the preparation:

Laboratory chemicals. Manufacture of substances.

· 1.3 Details of the supplier of the safety data sheet

· Supplier.

Agar Scientific Ltd
Parsonage Lane
Stansted CM24 8GF
United Kingdom
sales@agarscientific.com

Tel: +44 (0) 1279 813 519

- · Further information obtainable from: Technical Support
- 1.4 Emergency telephone number: 24 hours: +44 (0)1856 407333

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS05 GHS07 GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:
- 2-hydroxyethyl acrylate
- 2-Propenoic acid, 2-methyl-, butyl ester

(Contd. on page 2)



Date Printed 27.02.2019 Version number 1 Revision Date 21.02.2019

Trade name: MONOMER I SOLUTION (LOWICRYL K11M)

(Contd. of page 1)

· Hazard statements

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· **Description**: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 27813-02-1 EINECS: 248-666-3	Hydroxypropyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319	38.0%	
CAS: 818-61-1	2-hydroxyethyl acrylate Acute Tox. 3. H311: Skin Corr. 1B. H314: Acute 1.	28.0%	
CAS: 2370-63-0	H400; (1) Skin Sens. 1, H317 2-ethoxyethyl methacrylate	18.0%	
	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	- 10.070	
CAS: 97-88-1 EINECS: 202-615-1	2-Propenoic acid, 2-methyl-,butyl ester Flam. Liq. 3, H226; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	16.0%	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air.

No adverse effects are anticipated from inhalation.

Remove to fresh air. If breathing is difficult, contact medical personnel.

After skin contact:

Wash with water and soap and rinse thoroughly.

Remove contaminated clothing. Wash skin with deluge of water for at least 15 minutes.

(Contd. on page 3)



Date Printed 27.02.2019 Version number 1 Revision Date 21.02.2019

Trade name: MONOMER I SOLUTION (LOWICRYL K11M)

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Separate eyelids with finger tips.

Flush eyes with flowing water for at least 15 minutes.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

If swallowed, wash out mouth with water if person is conscious. If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media No data available.
- · Suitable extinguishing agents: No data available.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- · Protective equipment: Positive pressure self-contained breathing apparatus.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear gloves.

Wear protective gloves and glasses.

Any information listed below is to be considered in addition to internal guidelines for isolation of spill, containment of spill, removal of ignition sources from immediate area, and collection for disposal of spill by trained, properly protected clean-up personnel.

Protect personnel from exposure.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Use appropriate personal protective equipment.

Ventilate the area.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Contain spilled liquids.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid product's exposure to heat, UV light, free radical initiators.

Avoid contact with oxidising and reducing agents.

(Contd. on page 4)



Date Printed 27.02.2019 Version number 1 Revision Date 21.02.2019

Trade name: MONOMER I SOLUTION (LOWICRYL K11M)

(Contd. of page 3)

· Information about fire - and explosion protection:

Extinguishing media: Water fog - dried resin only.

No data available.

· 7.2 Conditions for safe storage, including any incompatibilities

Store at room temperature (25°C)

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eves and skin.

The use of eye protection in the form of safety glasses with side shields and the use of skin protection for hands in the form of gloves are considered minimum and none-discretionary in work places and laboratories. Any recommended personal protection equipment or environmental equipment is to be considered as additional to safety glasses and gloves.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Use process enclosures, local exhaust ventilation or other engineering controls.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Chemical-resistant gloves should be worn whenever this material is handled. The glove material has to be impermeable and resistant to the product. Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough.

Rinse and remove gloves immediately after use. Wash hands with soap and water. All glove recommendations presume that the risk of exposure is through splash and not intentional immersion of the hands into the product.

Since glove permeation data does not exist for this material, no recommendation for the glove material can be given for the product. Permeation data must be obtained from the glove manufacturer to determine if the glove is suitable for the task.

(Contd. on page 5)



Date Printed 27.02.2019 Version number 1 Revision Date 21.02.2019

Trade name: MONOMER I SOLUTION (LOWICRYL K11M)

(Contd. of page 4)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Use latex or equivalent gloves.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

Use chemical splash goggles and face shield.

SECTION 9: Physical and chemical properties

· General Information	. ,	•	•
· Appearance:			
Form:		Liquid	

9.1 Information on basic physical and chemical properties

Form: Liquid

Colour: According to product specification

Odour: CharacteristicOdour threshold: Not determined.pH-value: Not determined.

· Change in condition

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** 246 °C

· Flash point: 93 °C

· Flammability (solid, gas): Not applicable.

• **Decomposition temperature:** Not determined.

• Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. **Upper:** Not determined.

· Vapour pressure: Not determined.

Density at 20 °C: 1.029 g/cm³
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

water at 20 °C: 10.6 g/l

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

(Contd. on page 6)



Date Printed 27.02.2019 Version number 1 Revision Date 21.02.2019

Trade name: MONOMER I SOLUTION (LOWICRYL K11M)

(Contd. of page 5)

Solvent content:

VOC (EC)

Solids content:

0.00 %

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable in normal conditions.
- · Thermal decomposition / conditions to be avoided:

Avoid exposure to heat, UV light, free radical initiators.

- · 10.3 Possibility of hazardous reactions Hazardous polymerisation may occur.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Oxidising and reducing agents.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful in contact with skin.

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

Causes severe skin burns.

· Serious eye damage/irritation

Causes serious eye damage.

Causes severe eye burns.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

May cause allergic skin reaction.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 7)



Date Printed 27.02.2019 Version number 1 Revision Date 21.02.2019

Trade name: MONOMER I SOLUTION (LOWICRYL K11M)

(Contd. of page 6)

Danger to drinking water if even extremely small quantities leak into the ground.

Very toxic for aquatic organisms

No data available.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informat	tion		
· 14.1 UN-Number · ADR, IMDG, IATA	UN2810 2810		
· 14.2 UN proper shipping name	TOXIC, LIQUIDS, ORGANIC, N.O.S. (2 HYDROXYETHYL ACRYLATE)		
· ADR, IMDG, IATA	TOXIC, LIQUIDS, ORGÁNIC, N.O.S. (2 HYDROXYETHYL ACRYLATE)		
· 14.3 Transport hazard class(es)			
· ADR, IMDG, IATA			
· Class	6.1 Toxic substances.		
· 14.4 Packing group · ADR, IMDG, IATA	III		
· 14.5 Environmental hazards:	Not applicable.		
· Marine pollutant:	No data available.		
· 14.6 Special precautions for user	Warning: Toxic substances.		
14.7 Transport in bulk according to An			
of Marpol and the IBC Code	Not applicable.		

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB



Date Printed 27.02.2019 Version number 1 Revision Date 21.02.2019

Trade name: MONOMER I SOLUTION (LOWICRYL K11M)

(Contd. of page 7)

SECTION 16: Other information

This information is based on our present knowledge and should assist the user with the safe handling of this material when properly applied. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

· Department issuing SDS: Sales department

· Contact:

sales@agarscientific.com Tel: +44 (0) 1279 813 519

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1