

# Safety data sheet according to 1907/2006/EC, Article 31

## Date Printed 28.02.2019

Version number 1

Revision Date 28.02.2019

SECTION 1: undertaking	Identification of the substance/mixture and o	f the company/
· 1.1 Product ide	entifier	
· Trade name: L	R White Resin, Catalysed	
• CAS Number: 9 • 1.2 Relevant id No further relevant	: AGR1280, AGR1281, AGR1282 94188-59-7 <b>entified uses of the substance or mixture and uses advised</b> ant information available. <b>the substance / the preparation:</b> Laboratory Chemical, manufa	-
Supplier. Agar Scientific L Parsonage Land Stansted CM24 United Kingdom sales@agarscie Tel: +44 (0) 127	e 8GF entific.com 9 813 519	
	ation obtainable from: Technical Support telephone number: 24 hours: +44 (0)1856 407333	
SECTION 2:	Hazards identification	
	on of the substance or mixture according to Regulation (EC) No 1272/2008	
GHS0	7	
	315 Causes skin irritation.	
•	319 Causes serious eye irritation.	
	<ul><li>317 May cause an allergic skin reaction.</li><li>335 May cause respiratory irritation.</li></ul>	
	· · · · · · · · · · · · · · · · · · ·	
	rding to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation.	
$\langle \mathbf{i} \rangle$		
GHS07		
· Signal word W	arning	
Polyhydroxy di-e • Hazard statem H315 Causes sl H319 Causes so H317 May caus	kin irritation. erious eye irritation. e an allergic skin reaction. e respiratory irritation.	
P101 P102 P103	If medical advice is needed, have product container or label a Keep out of reach of children. Read label before use.	at hand.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves / eye protection / face protection.	(Contd. on page 2) G



## Safety data sheet according to 1907/2006/EC, Article 31

Date Printed 28.02.2019

Version number 1

Revision Date 28.02.2019

## Trade name: LR White Resin, Catalysed

	(Contd. of page 1)	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.	
2.3 Other hazards		
· Results of PBT and vPvB assessment		

· **PBT:** Not applicable.

· vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

24448-20-2 Polyhydroxy di-ethoxylated bisphenol-A dimethacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335

<u>3</u>, 80-90%

Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air.

No adverse effects are anticipated from inhalation.

- After skin contact: Wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 3)

GB ·



## Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision Date 28.02.2019

## Trade name: LR White Resin, Catalysed

## · 6.4 Reference to other sections

Date Printed 28.02.2019

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities** Store in a cool place, ensure lid is secured.

Recommended storage temperature range: 2-8 degrees Celcius

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

**SECTION 8: Exposure controls/personal protection** 

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

(Contd. of page 2)

(Contd. of page 3)



## Safety data sheet according to 1907/2006/EC, Article 31

Revision Date 28.02.2019

## Trade name: LR White Resin, Catalysed

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Date Printed 28.02.2019



Tightly sealed goggles

## **SECTION 9: Physical and chemical properties**

<ul> <li>9.1 Information on basic physical and c</li> <li>General Information</li> </ul>	chemical properties
· Appearance:	
Form:	Liquid
Colour:	Colourless
· Odour:	Characteristic
Odour threshold:	Not determined.
· pH-value:	Not determined.
<ul> <li>Change in condition</li> <li>Melting point/freezing point: Initial boiling point and boiling range</li> </ul>	Undetermined. : <300 °C
· Flash point:	105 °C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	1 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC (EC)	0.00 %
9.2 Other information	No further relevant information available.
	GB

(Contd. on page 5)

Version number 1

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision Date 28.02.2019

## Trade name: LR White Resin, Catalysed

(Contd. of page 4)

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

Date Printed 28.02.2019

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

### · 11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

(Contd. of page 5)



## Safety data sheet according to 1907/2006/EC, Article 31

Date Printed 28.02.2019

Version number 1

Revision Date 28.02.2019

## Trade name: LR White Resin, Catalysed

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information			
· 14.1 UN-Number	Void		
<ul> <li>14.2 UN proper shipping name</li> </ul>	Void		
· 14.3 Transport hazard class(es)	Void		
· 14.4 Packing group	Void		
· 14.5 Environmental hazards:	Not applicable.		
· 14.6 Special precautions for user	Not applicable.		
<ul> <li>14.7 Transport in bulk according to Annex II</li> <li>of Marpol and the IBC Code</li> <li>Not applicable.</li> </ul>			

## **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge and should assist the user with the safe handling of this material when properly applied. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

#### · Department issuing SDS: Sales department

· Contact:

sales@agarscientific.com Tel: +44 (0) 1279 813 519

 Abbreviations and acronyms: GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 \* Data compared to the previous version altered.

GB -