

Printing date 13.10.2015 Revision: 13.10.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: AF300 Antifadent solution

· Article number: AGR1328-3

• 1.2 Relevant identified uses of the substance or mixture and uses advised against A glycerol-amine solution for use in fluorescence microscopy.

- · Application of the substance / the preparation: No further relevant information.
- · Uses advised against Any use other than those identified.
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier.

Agar Scientific
Elektron Technology UK Ltd
Parsonage Lane
Stansted CM24 8GF
United Kingdom
sales@agarscientific.com

Tel: +44 (0) 1279 813 519

- · Further information obtainable from: Technical Support
- 1.4 Emergency telephone number: 24 hours: +44 (0)1856 407333

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eve Irrit. 2 H319 Causes serious eve irritation.

Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

R36/38: Irritating to eyes and skin.

R53: May cause long-term adverse effects in the aquatic environment.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





Printing date 13.10.2015 Revision: 13.10.2015

Trade name: AF300 Antifadent solution

· Signal word Warning

(Contd. of page 1)

· Hazard-determining components of labelling:

Triethylendiamin

Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H413 May cause long lasting harmful effects to aquatic life.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection. P280

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P362 Take off contaminated clothing and wash before reuse.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 56-81-5	glycerol	90-99%	
EINECS: 200-289-5	substance with a Community workplace exposure limit		
	Triethylendiamin	1-5%	
EINECS: 205-999-9	C Ř34; Xn R22		
	♦ Skin Corr. 1B, H314; ♦ Acute Tox. 4, H302		

· Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation:

If unconscious, place the patient on their side in the recovery position and ensure they are breathing. Clean nose and mouth with water. Artificial respiration may be administered by suitably qualified first-aiders if the patient is unconscious or breathing is difficult. Get immediate medical attention...

· After skin contact:

Remove affected person from source of contamination. Remove contaminated clothing and shoes. Wash the skin immediately with soap and water. Take especial care to clean folds, crevices, crease and groin. Get medical attention if irritation persists or develops.

· After eye contact:

Promptly rinse eyes with plenty of clean water while lifting the eyelids. Continue to rinse for at least 15 minutes. Continue until the eyes are free of all traces of contamination. Get medical attention if any discomfort or irritation persists.

(Contd. on page 3)



Printing date 13.10.2015 Revision: 13.10.2015

Trade name: AF300 Antifadent solution

· After swallowing:

(Contd. of page 2)

If swallowed do NOT induce vomiting. Never give anything by mouth to an unconscious person. If person vomits, keep head low to prevent vomit entering the lungs. Rinse mouth thoroughly. Get medical attention if symptoms persist. Keep patient at rest.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Extinguish with foam, carbon dioxide, dry powder or water fog
- · For safety reasons unsuitable extinguishing agents:

Do not use a water jet as this may spread the fire

· 5.2 Special hazards arising from the substance or mixture

If heated, vapours/gases hazardous to health (e.g. CO, NOx, isocyanates) may be formed. In case of fire, toxic and corrosive gases may form.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self contained breathing apparatus and full protective clothing. Keep all unnecessary people away. fire water run-off must not be allowed to contaminate ground or enter drains, sewers or water courses. Provide bunding against fire water run-off.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures In case of spills, beware of slippery floors and surfaces.
- · 6.2 Environmental precautions: Cover all drains and sewers. Avoid spreading spilled material.
- · 6.3 Methods and material for containment and cleaning up:

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Flushings must not be allowed to contaminate ground or enter drains, sewers or water courses.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Use in a well ventilated area.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid spilling, skin and eye contact. Wash thoroughly after handling.

· 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed container in a dry and cool place. Keep away from food, drink and animal feeding stuffs. Do not store with strong acids.

- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.



Printing date 13.10.2015 Revision: 13.10.2015

Trade name: AF300 Antifadent solution

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities:

Provide adequate ventilation. Observe occupational exposure limits and minimise the risk of inhalation of vapours.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

56-81-5 glycerol

WEL Long-term value: 10 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

· Respiratory protection:

In case of inadequate ventilation of when the product is heated use suitable respiratory equipment with gas filter (type A2).

· Protection of hands:



Protective gloves

Wear suitable protective gloves conforming to EN 374. Seek recommendation from manufacturer or supplier. After using gloves the hands should be washed and dried thoroughly and a suitable moisturiser applied.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Use approved safety goggles or face shield.

· Body protection: Wear appropriate clothing to prevent any possibility of skin contact.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Colourless

· Odour: Slight musty (mouldy)

(Contd. on page 5)



Printing date 13.10.2015 Revision: 13.10.2015

Trade name: AF300 Antifadent solution

	(Contd. of page
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined. > 100 °C
Boiling point/Boiling range:	
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
· Partition coefficient (n-octanol/wa	ater): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability Stable under normal conditions of storage and use.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Avoid exposure to heat in any form including sunlight
- 10.5 Incompatible materials: Strong oxidising agents and acids
- · 10.6 Hazardous decomposition products:

Decomposition can lead to vapours/gases hazardous to health (e.g. CO, NOx, isocyanates) being formed.

GE



Printing date 13.10.2015 Revision: 13.10.2015

Trade name: AF300 Antifadent solution

(Contd. of page 5)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:

280-57-9 Triethylendiamin

Oral LD50 1700 mg/kg (rat)

- · Skin corrosion/irritation Liquid may irritate the skin
- · Serious eye damage/irritation

May cause severe irritation to the eyes. Visual disturbances including blurred vision.

- · Respiratory or skin sensitisation No sensitising effects known.
- Other information (about experimental toxicology):

Target Organs: Skin, eyes.

Inhalation: Not relevant at normal temperatures. When heated irritating vapours may be formed.

Ingestion: Harmful if swallowed

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

SECTION 12: Ecological information

· 12.1 Toxicity

The product contains substances, which may cause long term adverse effects in the aquatic environment

May decrease acidity of aquatic systems to pH >10 which is toxic to aquatic organisms.

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability This product is expected to be biodegradable
- · 12.3 Bioaccumulative potential

This product does not contain any substances expected to be bioaccumulating

· 12.4 Mobility in soil

This product is completely water soluble and therefore may spread into water systems

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Do not dispose to landfill or water courses. Disposal must be by means of a licensed waste contractor

· Recommendation:

Small amounts may be flushed with water to sewer. Larger volumes must be sent to approved plant for destruction.

(Contd. on page 7)



Printing date 13.10.2015 Revision: 13.10.2015

Trade name: AF300 Antifadent solution

(Contd. of page 6)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	Void	
14.2 UN proper shipping nameADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to Anno of MARPOL73/78 and the IBC Code 	ex II Not applicable.	
· UN "Model Regulation":	-	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge and should assist the user with the safe handling of this material when properly applied. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

R22 Harmful if swallowed.

R34 Causes burns.

- · Department issuing MSDS: Sales department
- Contact:

sales@agarscientific.com Tel: +44 (0) 1279 813 519

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)



Printing date 13.10.2015 Revision: 13.10.2015

Trade name: AF300 Antifadent solution

(Contd. of page 7)

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4